

- 82% PVC 18% Polyester
- > Available Width Up to 5M
- Ink printability Solvent **Eco Solvent** UV Latex



## **OpakJet**

Knife-coated Block-out PVC Banner

## **DESCRIPTION**

PVC double-coated high tenacity Polyester fabric Suitable for banner, exhibition and retail Available up to 5m wide

## **INK PRINTABILITY**









PROPERTIES	TEST METHOD	SPECIFICATION	
Thickness		0.56	
Total Mass (g/m2)	EN ISO 2286-2	710±60	
Composition		82% PVC 18% Polyester	
Base Fabric (gsm)	EN ISO 2286-2	130±10	
Breaking Load (daN/50mm)	EN ISO 1421	Warp:250 Weft:140	
Breaking Extension (%)	EN ISO 1421	Warp:20.0 Weft:14.0	
Tear Strength	DIN 53363	Warp:14 Weft:10	
Coating Adhesion (daN/50mn	EN ISO 2411	Min 5.0	
Colour Fastness To Light	EN ISO 105 B02	Min 6	
Low Temperature Bend Test	EN ISO 105 B02	No cracks at -25°C	

NOTE: It is normal that the weight of most products will have an average fluctuation of 5%. All above information shall only used as a guide; buyers shall independently test and determine the products suitability. The mentioned data are average of test result and should not be used for the purpose of lawsuit or warranty.

